

**B.E.G.****SAFETYLUX®**

## 2DN14/8/EVG

7894 EAN: 4007529078943

- Spænding: 230 V AC +/- 10% 50 Hz
- Dimensioner: 359 x 90 x 105 mm
- Lampe: 8 W Lysstofrør T16

### Order data

Designation	Farve	Art.No
2DN14/8/EVG	hvid	7894

### Accessories



Designation	Farve	Art.No
Bold-beskyttelseskurv BSK SL20	hvid	7888

## Technical data

Spænding:	230 V AC +/- 10% 50 Hz
Dimensioner:	359 x 90 x 105 mm
Lampe:	8 W Lysstofrør T16
Synlighedsområde:	14
LED-udstråling / lampe:	8 W Lysstofrør T16 inklusiv
Beskyttelsesgrad/-klasse:	IP54 / Klasse II
Omgivelsestemperatur:	+5 °C til +35 °C
Kabinet:	af polycarbonat
Materiale Farve:	hvid

## Product information

Rettungszeichen-/Fluchtwegleuchte  
Robust plastkabinet IP54  
Erkennungsweite 14 m  
Tryk til kontrol test



## Accessories



### **Bold-beskyttelseskurv BSK SL20**

Art.No: 7888

Dimensioner: 132 x 402 x 151 mm

Kabinet: Coated stålkurv

Materiale Farve: hvid