



AL20-280/BM SLU

Prod.No. 91700 EAN: 4007529917006

Freely combinable with 19 different System-Globes SG see below!

Settings may be made manually with the potentiometer and remotely with infrared remote control

Wall or outer corner installation

Order data

| Designation | Colour | Art.No |
|-----------------|--------|--------|
| AL20-280/BM SLU | | 91700 |

Technical data

| | |
|-------------------------------|------------------------------------|
| Voltage: | 230 V AC +/- 10% |
| Dimensions: | 221 x 112 x 75 mm |
| Detection area: | horizontal 280° (Ceiling mounting) |
| Degree / class of protection: | IP44 / Class II |
| Housing: | polycarbonate, UV-resistant |
| Material color: | white |
| Switching power: | 1000 W, $\cos \varphi = 1$ |

Product information

System light lower sections LUXOMAT AL20-280/BM SLS with motion detector and twilight switch with a 280° detection range, suitable for conventional lamps and energy-saving lamps with E27 fittings

Freely combinable with 19 different System-Globes SG see below!

Settings may be made manually with the potentiometer and remotely with infrared remote control

Wall or outer corner installation

Time-saving single-handed plug-in base installation

Additional lights can be switched simultaneously by the one motion detector

Application examples:

entrances, garages, patios, balconies, at entrance gates



