

**B.E.G.**

**SAFETYLUX®**



**BD21/6/3-LLD**

Prod.No. 93002 EAN: 4007529930029

Illuminated exit sign / pictorial emergency sign  
with single battery

Sturdy plastic case IP54

Visibility range 21 m

**Order data**

| <b>Designation</b> | <b>Colour</b> | <b>Art.No</b> |
|--------------------|---------------|---------------|
| BD21/6/3-LLD       | white         | 93002         |

## Technical data

|                               |  |
|-------------------------------|--|
| Voltage:                      | 230 V AC +/- 10% 50 Hz                   |
| Dimensions:                   | 250 x 135 x 150 mm                       |
| Lamp:                         | 8 W Fluorescent lamp T16                 |
| Visibility range:             | 21                                       |
| Operation mode:               | Permanent operation, Wake up mode        |
| Luminous flux / intensity:    | Colour temperature: 4000 K neutral white |
| Luminous flux / intensity:    | 8 W Fluorescent lamp T16                 |
| Degree / class of protection: | IP54 / Class II                          |
| Ambient temperature:          | +5 °C to +35 °C                          |
| Housing:                      | Polycarbonate                            |
| Material color:               | white                                    |

### Battery

|                             |                        |
|-----------------------------|------------------------|
| Accu:                       | NiMh 3.6 V<br>4000 mAh |
| Nominal operation duration: | 3 h                    |

### Monitoring

|                     |                            |
|---------------------|----------------------------|
| Local surveillance: | Button for operation check |
|---------------------|----------------------------|

## Product information

Illuminated exit sign / pictorial emergency sign with single battery

Sturdy plastic case IP54

Visibility range 21 m

Eco-friendly NiMH battery

Nominal operating time 3 hours

Button for operation check (on the housing)

Lamp, battery and four pictograms included



