

**B.E.G.****LUXOMAT®**

## LC-Click 200

Prod.No. 91102 EAN: 4007529911028

230V PIR outdoor motion detector with a 200° detection angle and a range of up to 12 meters (250 m<sup>2</sup>)

### Order data

Designation	Colour	Art.No
LC-Click 200	white	91102

### Accessories

Designation	Colour	Art.No
RC-Arc extinction kit	white	10880
Mini-RC-Arc extinction kit		10882
Wire basket BSK (Ø 164 x 143 mm)	white	92467
Pole holder with weather protection	stainless steel	93220
Wall holder with weather protection	white	93222
Wall holder with weather protection	anthracite	93221
Surface mounting frame LC	white	91080

## Technical data

Voltage:	110 - 240 V AC 50 / 60 Hz
Dimensions:	90 x 67 x 82 mm
Power consumption:	approx. 0.4 W
Detection area:	horizontal 200° (Wall mounting)
Range:	max. 12 m across max. 4 m towards
Monitored area (tangential movement):	250 m <sup>2</sup> / 2.5 m mounting height
Mounting height min./max./recommended:	2 m / 3 m / 2.5 m
Degree / class of protection:	IP44 / Class II
Ambient temperature:	-25 °C to +50 °C
Housing:	polycarbonate, UV-resistant
Material color:	white mat, similar to RAL9010

### Channel 1 (lighting control)

Switching power:	1000 W, $\cos \varphi$ = 1 500 VA, $\cos \varphi$ = 0.5 400 W LED
Type of contact (k):	1x $\mu$ -contact, NO contact
Follow-up time:	4 sec - 10 min
Switch-on threshold:	10 - 300 Lux


## Product information

Motion detector with detection area of 200°

Adjustable ball head

Simple mounting thanks to plug base

Detection area can be restricted with blinds



## Accessories



**RC-Arc extinction kit**  
Art.No: 10880

Voltage: 230 V AC  $\pm 10\%$   
Dimensions: 38 x 12 x 26 mm  
Degree / class of protection: IP20 / Class II



**Mini-RC-Arc extinction kit**  
Art.No: 10882

Voltage: 230 V AC  $\pm 10\%$   
Dimensions: 50 x 23 x 8 mm  
Degree / class of protection: IP20 / Class II



**Wire basket BSK (Ø 164 x 143 mm)**  
Art.No: 92467

Dimensions: Ø 164 x 143 mm  
Impact strength: IK09  
Housing: coated steel basket



**Pole holder with weather protection**  
Art.No: 93220

Dimensions: 188 x 98 x 134 mm  
Housing: stainless steel  
Material color: stainless steel



**Wall holder with weather protection**  
Art.No: 93222

Dimensions: 188 x 98 x 134 mm  
Material color: white



**Wall holder with weather protection**  
Art.No: 93221

Dimensions: 188 x 98 x 134 mm  
Material color: anthracite



**Surface mounting frame LC**  
Art.No: 91080

Dimensions: 78 x 78 x 13 mm  
Housing: polycarbonate, UV-resistant  
Material color: white