

B.E.G.**LUXOMAT®**

PD9-1C-FC Set 92902-92346

- Voltage: 110 - 240 V AC 50 / 60 Hz
- Dimensions: **Sensor head: Ø 45 x 37 mm, Power supply: 165 x 24 x 24 mm + Ø 45 mm (92346)**
- Power consumption: approx. 0.5 W

Areas of application

- toilets
- equipment rooms
- entrance halls
- corridors/hallways
- small offices

Order data

| Designation | Colour | Art.No |
|------------------------|--------|--------|
| PD9-1C-FC | white | 92902 |
| Cover ring PD9 Ø 45 mm | silver | 92346 |

Technical data

| | |
|---|--|
| Voltage: | 110 – 240 V AC 50 / 60 Hz |
| Dimensions: | Sensor head: Ø 45 x 37 mm, Power supply: 165 x 24 x 24 mm + Ø 45 mm (92346) |
| Power consumption: | approx. 0.5 W |
| Detection area: | horizontal 360° (Ceiling mounting) max. Ø 10 m across max. Ø 6 m towards max. Ø 4 m seated |
| Range: | 78 m ² / 2.5 m mounting height |
| Monitored area (tangential movement): | 2 m / 5 m / 2.5 m |
| Mounting height min./max./recommended: | IP20 / Class II |
| Degree / class of protection: | IK03 |
| Impact strength: | -25 °C to +50 °C |
| Ambient temperature: | polycarbonate, UV-resistant |
| Housing: | silver mat (92346) |
| Material color: | 45 cm |
| Cable length: | |
| Channel 1 (lighting control) | |
| Switching power: | 1000 W, cos φ = 1 500 VA, cos φ = 0.5 400 W LED |
| Type of contact (k): | 1x μ -contact, NO contact |
| Follow-up time: | 30 sec – 30 min, Pulse |
| Switch-on threshold: | 10 – 2000 Lux |

Product information

Set : PD9-1C-FC + Cover ring PD9 Ø 45 mm silver
mat

Mini-motion detector for indoor use

One channel for light switching

Zero crossing switching

Easy installation on device

Power supply passes through the hole in the ceiling for the
detector (34 mm Ø)

Spring clips for quick and easy installation in suspended
ceilings and light fittings

Includes 45 mm cover ring and blinds



power supply



sensor head



Set items

To receive the bundle according to the technical specification, please order the items listed.




PD9-1C-FC

Art.No: 92902

Voltage: 110 – 240 V AC 50 / 60 Hz

Dimensions: Sensor head: Ø 45 x 37 mm, Power supply: 165 x 24 x 24 mm

Power consumption: approx. 0.5 W



Cover ring PD9 Ø 45 mm

Art.No: 92346

Dimensions: Ø 45 mm

Material color: silver mat