B.E.G. LUXOMAT®



PD9-S-SDB-FC Set
92915-92958

Slave PIR motion detector with 360° coverage and a range of up to Ø10m (78 m²), IP65

Order data


Designation	Colour	Art.No
PD9-S-SDB-FC	white	92915
Cover IP65 for Sensor head PD9	transparent	92958

Technical data


Dimensions:	Ø 36 x 28 mm
Detection area:	horizontal 360° (Ceiling mounting)
Range:	max. Ø 10 m across max. Ø 6 m towards max. Ø 4 m seated
Monitored area (tangential movement):	78 m² / 2.5 m mounting height
Mounting height min./max./recommended:	2 m / 5 m / 2.5 m
Degree / class of protection:	**IP65 / Class III + IP65 (92958)**
Impact strength:	IK03
Material color:	**white, similar to RAL9010 + transparent (92958)**
Cable length:	350 cm


Product information

Set : PD9-S-SDB-FC + Cover IP65 for Sensor head PD9 transparent



sensor head





Set items

To receive the bundle according to the technical specification, please order the items listed.



PD9-S-SDB-FC
Art.No: 92915

Dimensions: Ø 36 x 28 mm
Detection area: horizontal 360° (Ceiling mounting)
Range: max. Ø 10 m across
max. Ø 6 m towards
max. Ø 4 m seated



Cover IP65 for Sensor head PD9
Art.No: 92958

Degree / class of protection: IP65
Housing: UV-resistant
Material color: transparent