B.E.G. CHRONOLUX®




# TS-AD4

Prod.No. 92680 EAN: 4007529926800

Analogue time switch for installation in switch cabinets

Slim format 54 mm

Daily program

## Order data

| Designation | Colour | Art.No |
|---|---|---|
| TS-AD4 | | 92680 |

## Technical data

| | |
|---|---|
| Voltage: | 230 V AC 50 / 60 Hz |
| Dimensions: | 45 x 54 x 55 mm (3 TE) |
| Power consumption: | 0.4 W |
| Degree / class of protection: | acc. to DIN EN 60529 IP20 / Class II when installed according to regulations |
| Power back-up (at 20 °C): | ≥ 70 h |
| Ambient temperature: | -5 °C to +50 °C |
| Housing: | self-extinguishing thermoplastic |
| Connections and wires: | Screw terminals |
| Switching power: | 16 A / 250 V at cos φ = 1<br>2000 W max. Resistive loads |
| Type of contact (k): | contact gap < 3 mm (μ-contact), dry Changeover contact |

## Product information


Analogue time switch for installation in switch cabinets


Slim format 54 mm

Daily program

Manual override switch permanently ON / AUTO

Captive setting keys


54
105
90
44
45
55
60


L
N
1
2
3
L
N