



TS-DW-2-NFC

Prod.No. 93152 EAN: 4007529931521

- Voltage: 230 V AC 50 / 60 Hz
- Dimensions: 45 x 36 x 58 mm (2 TE)
- Power consumption: 0.2 - 1 W

Order data

Designation	Colour	Art.No
TS-DW-2-NFC		93152

Technical data

Voltage:	230 V AC 50 / 60 Hz
Dimensions:	45 x 36 x 58 mm (2 TE)
Power consumption:	0.2 - 1 W
Degree / class of protection:	acc. to DIN EN 60529 IP20 / Class II
Power back-up (at 20 °C):	approx. 10 years
Ambient temperature:	-30 °C to +55 °C
Housing:	self-extinguishing thermoplastic
Switching power:	3680 W / 16 A, $\cos \varphi = 1$ 2300 VA, $\cos \varphi = 0.6$ 200 W LED max. inrush current I_p (20 ms) = 50 A
Type of contact (k):	μ -contact, Changeover contact, contact gap < 3 mm
Outputs:	1

Product information

Digital time switch with week program for installation in switch cabinets

1 channel

Switching capacity 16 A per channel

Illuminated display

Daily and weekly program

56 memory locations

Permanent by date / holiday function

Minimum interval 1 min.

Pulse function

Manual permanent mode

Manual override

Fully automatic daylight saving time

Elapsed time and pulse counter

Security by PIN code

Additional switching times ON, OFF and pulse according to date and time

NFC programming (ISO 15693 standard)

Directly programmable via App (Android, iOS)

Replaceable battery (CR2032)



