



TS-DW1

Prod.No. 92656 EAN: 4007529926565

- Voltage: 230 V AC 50 / 60 Hz
- Dimensions: 45 x 18 x 58 mm (1 TE)
- Power consumption: approx. 0.7 W

Order data

Designation	Colour	Art.No
TS-DW1		92656

Technical data

Voltage:	230 V AC 50 / 60 Hz
Dimensions:	45 x 18 x 58 mm (1 TE)
Power consumption:	approx. 0.7 W
Degree / class of protection:	acc. to DIN EN 60529 IP20 / Class II when installed according to regulations
Power back-up (at 20 °C):	approx. 6 years
Ambient temperature:	-10 °C to +50 °C
Housing:	self-extinguishing thermoplastic
Display elements:	High resolution LC display
Connections and wires:	Screw terminals (pull-up type terminals)
Switching power:	16 A / 250 V at $\cos \varphi = 1$ max. inrush current I_p (20ms) = 30 A
Type of contact (k):	contact gap < 3 mm (μ -contact), dry Changeover contact

Product information

Digital time switch with week program for installation in switch cabinets

1 channel

Switching capacity 16 A

Permanent by date / holiday function

Daily and weekly program

Pulse function

46 memory locations

Minimum interval 1 min.

Manual permanent mode

Manual override

Automatic sorting of switching times on readout

Unrestricted block programming

Fully automatic daylight saving time

Elapsed time and pulse counter

Security by PIN code



