







LUXONET® is very easy to operate, as attention has been paid to intuitive menu navigation. Devices can be dragged to the appropriate position and the same applies to mapping, i.e. the virtual linking of inputs and outputs.

Maximum planning reliability thanks to script-based automation templates for logic functions and seamless integration of B.E.G. BMS DALI-2 sensors and push-buttons.

Use existing templates! Rely on the decades of experience of the sensor specialist B.E.G.! LUXONET® already contains a collection of optimum room configurations – simply use an existing template and the optimum lighting control system is ready for use


Get expert support! In addition, you can commission the B.E.G. scripting service to create further, exclusive templates for room configurations, thus outsourcing part of your work and saving valuable time.

Stay flexible... All device parameters can be set individually regardless of the templates used.

Collaboration is simplified – the installation process can be tracked via the cloud. This ensures that the installation is actually completed on site before you set off to connect field devices and calibrate sensors.

The project documentation is already integrated. The entire project can be saved as a digital document. This saves additional workload during acceptance and handover processes.

Secure automation – Building automation is protected against unauthorized access with a multi-level security concept. There is also data security with encrypted MQTT communication (MQTTS) and multi-factor authentication in the cloud. Decentralized control at IP level and offline automation increase operational security. The automations are distributed to the gateways via the cloud so that the entire system runs stably.





We know the industry and the challenges of building automation, because our sensors have always formed the basis.

It starts with simple things: Anyone who has stood in front of a control cabinet knows how small devices can be and how annoying annoying attaching the cables can be can be. **LUXONET®**

Status

Link

Mode

Service

FB Controller 93550



Find out more



Wouldn't it be ideal to have devices in use to have devices that simplify the cabling:

- Where connectors are fitted in such a way that LAN cables can be cleanly connected without kinking cables?
- Where transparent housing parts simultaneously provide an insight, so that you can see what you are doing?
- Where integrated cable ties practically secure the fit of the cables?
- Where all these details help to avoid cable damage and save time.

That is also LUXONET®

FURTHER BENEFITS

Front service flap:





The service flap conceals further connections and control buttons




Removable plug for supply voltage is suitable for through-wiring





Integrated LAN switch for connecting another gateway in the same sub-distribution board



USE B.E.G. PLANNING EXPERIENCE









They are in use all over the world and form the basis of energy-efficient, comfortable buildings – with B.E.G. sensors you can rely on quality and the decades of experience of lighting control professionals: experience that you can integrate directly into your project.

naire (1-10V. DT5)

ninaire (LED, DT6)

Relay (Switching, DT7)

ire (DT8 TW)

re (DT8 RGB)

ire (DT8 TW+RGB)


Optimal working conditions in classrooms? Biodynamic light in offices? Guided light in stairwells? Soft lighting for yoga classes in sports halls?


Numerous applications, tried and tested hundreds of times – you will find you are sure to find the one that suits your project in the collection of B.E.G. automation templates.

The selected template can be transferred to your room with just one click and works as it should. This saves time and creates feel-good rooms.

Do you want something special? You can make your own individual settings or adjustments at any time. If required, you can also request a more comprehensive outsourcing offer for a room configuration via the B.E.G. scripting service.









FB Controller

Memory-programmable fieldbus controller for energyefficient, convenient and safe building automation with LUXONET*.



Parameterization: via web application





90 x 144 x 64 mm (8TE)



3x USB 2.0 3x LAN 100 Mbit/s 1x Serial



FB Gateway DUO DALI-2

The DUO DALI-2 fieldbus gateway is a device with 2 integrated Multimaster DALI application controller for more energyefficient, convenient and safe building automation with LUXONET® from B.E.G.



Parameterization: via web application



max. 13 W



90 x 108 x 64 mm (6 TE)



2x LAN 100 Mbit/s 2x DALI



Find out more

Find out more



BMS DALI-2

DALI-2 certified sensors and push-buttons for seamless integration into the LUXONET® system.



Parameterization: via web application





from DALI-Bus, max. 22,5 V DC




DALI-2 Lights and actuators

LUXONET® supports all DALI-2 certified control gear from all manufacturers. Our own range includes Tuneable-White luminaires and switch actuators.



Parameterization: via web application



FUNCTION OVERVIEW

- HCL
- Presence-dependent control
- Daylight-dependent control (dimming)
- Time-based control (RTC in controller)
- Situations / scenes
- Divisible rooms
- QR code installation check
- Automatic addressing
- Distributed intelligence at IP level
- Virtual project planning
- Field line independent room configuration
- Extensive catalog of automation templates



INTEGRATION AND SERVICE









The Integration Service provides you with an experienced team to integrate your own building automation systems. Our LUXONET® scripting specialists can quickly implement your individual wishes for logical links and functions. Request your individual offer to create a room configuration.

Our reliable support team can answer technical questions of any kind quickly and easily on the phone or, if required, on site. And last but not least, we have prepared many training programmes for you, which are carried out with our in-house B.E.G. Academy.

For us, excellent project support does not end with completion. We value sustainable customer relationships and therefore help as your requirements change over time.

Are you interested in finding out more about the services offered by LUXONET®? Then get in contact us today! We look forward to hearing from you!





Headquater B.E.G. Brück Electronic GmbH Gerberstraße 33, 51789 Lindlar

T +49 (0) 2266 90121-0

vertrieb@beg.de beg-luxomat.com



B.E.G. UK Ltd. Apex Court, Camphill Road West Byfleet, Surrey KT14 6SQ

T +44 (0) 87 08 50 54 12

info@beguk.co.uk beg-luxomat.com







