

B.E.G.**LUXOMAT[®]net**

STARTERSET-DALI-LINK- SMALL-OFFICE Set 93840-92732

- Spanning: 110 - 277 V AC
- Uitgangsspanning: 16 V DC (DALI, typisch)
- Levering inclusief: PS-DALI-LINK-IB, PBM-DALI-LINK-4W-BLE, PD11-DALI-LINK-FLAT

Bestelgegevens



Omschrijving	Kleur	Art.nr.
STARTERSET-DALI-LINK-SMALL-OFFICE		93840
PBM-DALI-LINK-4W-BLE	-	92732

Technische gegevens

Spanning: 110 - 277 V AC
Uitgangsspanning: 16 V DC (DALI, typisch)
Levering inclusief: PS-DALI-LINK-IB, PBM-DALI-LINK-4W-BLE, PD11-DALI-LINK-FLAT

Productinformatie

Set : STARTERSET-DALI-LINK-SMALL-OFFICE + PBM-DALI-LINK-4W-BLE -



Stel in

Om de bundel volgens de technische specificatie te ontvangen, bestelt u de genoemde items.



STARTERSET-DALI-LINK-SMALL-OFFICE

Art.nr.: 93840

Spanning: 110 - 277 V AC

Uitgangsspanning: 16 V DC (DALI, typisch)

Levering inclusief: PS-DALI-LINK-IB, PBM-DALI-LINK-4W-BLE, PD11-DALI-LINK-FLAT



PBM-DALI-LINK-4W-BLE

Art.nr.: 92732

Spanning: via de DALI Bus, max. 22.5 V DC

Afmetingen: 38 x 38 x 14 mm

Parameterisatie: Smartphones met DALI-LINK App (iOS / Android)